



KROMO
YOUR SMART WASH

INDEX

UNDER-COUNTER DISHWASHERS

AQUA	Glass & dishwashers with double-wall door	4
DUPLA	Double skin glass & dishwashers	5
LUX	High-tech double skin glass & dishwashers	6
PREMIUM	Connected glass and dishwashers with clean water technology	7

HOOD-TYPE DISHWASHERS

HOOD 800 - 110	Single skin hood-type dishwashers	8
HOOD 110 I	Insulated hood-type dishwashers	8
HOOD 130 LUX	Latest generation hood-type dishwashers	9
HOOD 140 PREMIUM	Connected hood-type dishwashers with clean water technology	10

STOCK & WASH DISHWASHERS

WASH & STORE	Stock & Wash Dishwashers	11
--------------	--------------------------	----

RACK CONVEYOR DISHWASHERS

RK COMPACT	Compact rack conveyor dishwashers with simple rinse	12
RK UP	Rack conveyor dishwashers with single or double rinse	13
RK LUX	Rack conveyor dishwashers with reinforced double rinse	14
RK PREMIUM	Rack conveyor dishwashers with 3R+ reinforced triple rinse	15

FLIGHT CONVEYOR MACHINES

QK LUX	Flight conveyor machines with reinforced double rinse	16
QK PREMIUM	Flight conveyor machines with 3R+ reinforced triple rinse	17

TUNNEL TRAY WASHER & TRANSPORTATION SYSTEMS

TK	Tunnel traywasher with dryer	18
TL	Transportation systems	18

WAREWASHERS

POT	Warewashers	19
-----	-------------	----

GRANULES WAREWASHER

GRANULE	Granules warewashers	20
---------	----------------------	----

PULL-THROUGH CRATE WASHERS

VK - VK LUX	Pull-through crate washers	21
-------------	----------------------------	----

CONVEYOR CRATE WASHERS

LK - LK-HD	Conveyor crate washers	22
------------	------------------------	----

BASKETS

Standard supplied baskets	23
---------------------------	----

SALES CONDITIONS

General sales conditions	23
--------------------------	----

AQUA

GLASS & DISHWASHERS
WITH DOUBLE-WALL DOOR

DUPLA

DOUBLE SKIN GLASS
& DISHWASHERS

**SOFT START
WASH PUMP FOR
FRAGILE CROCKERY**
("T" MODELS)



**DISTINGUISH
THEMSELVES BY THEIR
SILENCE AND
FIABILITY**



**ELECTRONIC
VERSION AVAILABLE**



CUSTOMIZABLE



**SOFT START
WASH PUMP FOR
FRAGILE CROCKERY**
("T" MODELS)



**DISTINGUISH
THEMSELVES BY THEIR
SILENCE AND
FIABILITY**



**ELECTROMECHANICAL
VERSION AVAILABLE**







CUSTOMIZABLE







S/S WASH ARMS
(DS 50 - DS 50 T)



					
	H	Ø	mm	pcs/h	W/D/H mm
AQUA 35	195	-	350x350	30	400x495x585
AQUA 37	275	-	370x370	30	420x490x650
AQUA 37 LS	275	280	370x370	30	420x490x650
AQUA 40	305	-	400x400	30	450x535x700
AQUA 40 LS	305	295	400x400	30	450x535x700
AQUA 50 MONO	320	345	500x500	30	590x600x850
AQUA 50^U	320	345	500x500	30	590x600x850
AQUA 40 T	305	-	400x400	60	450x535x700
AQUA 40 T LS	305	295	400x400	60	450x535x700
AQUA 50 T	320	345	500x500	60	590x600x850
AQUA 80 T	355	380	500x500	60	590x600x1290

U: Construction according to UL-NSF standards upon request

					
	H	Ø	mm	pcs/h	W/D/H mm
DUPLA 35	270	-	350x350	30	415x465x670
DUPLA 37	290	-	370x370	30	430x490x680
DUPLA 37 LS	290	285	370x370	30	430x490x680
DUPLA 40 LS	305	295	400x400	30	460x545x715
DUPLA 50 MONO	310	325	500x500	30	595x610x845
DUPLA 50^U	310	325	500x500	30	595x610x845
DUPLA 40 LS T	305	295	400x400	60	460x545x715
DUPLA 50 T	310	325	500x500	60	595x610x845

U: Construction according to UL-NSF standards upon request

LUX

HIGH-TECH DOUBLE SKIN
GLASS & DISHWASHERS

PREMIUM

CONNECTED GLASS AND DISHWASHERS
WITH CLEAN WATER TECHNOLOGY

PLUS SYSTEM



**PROGRAMMABLE
CYCLES**



CONNECTIVITY

WHEREVER YOU ARE...
YOUR DISHWASHER,
JUST A CLICK AWAY



**SOFT START
WASH PUMP FOR
FRAGILE CROCKERY**



**DOUBLE SKIN AISI 304
MACHINE AND
DOUBLE SKIN
INSULATED DOOR**



**PLUS SYSTEM:
STABILIZED RINSE,
GUARANTEED
TEMPERATURES,
CONSUMPTION AND
PRESSURE**



CONNECTIVITY
WHEREVER YOU ARE...
YOUR DISHWASHER,
JUST A CLICK AWAY



**HYGIENE+
HIGH SANITIZATION
LEVELS A₀=60**



**HEAT
RECOVERY HR:
IMMEDIATE SAVINGS**



H	Ø	mm	pcs/h	tray*	W/D/H mm
---	---	----	-------	-------	----------

LUX 40 EL	310	310	400x400	60	-	460x550x780
LUX 60 EL	325	340	500x500	60	GN 1/1	600x610x850
LUX 60 EL H+	325	340	500x500	43	GN 1/1	600x610x850
LUX 70 EL	400	400	500x500	53	600x400x25 GN 1/1	600x680x850
LUX 40 EL PLUS	310	310	400x400	60	-	460x550x780
LUX 40 EL PLUS HR	310	310	400x400	28	-	460x550x780
LUX 60 EL PLUS H+	325	340	500x500	60	GN 1/1	600x610x850
LUX 60 EL PLUS HR H+	325	340	500x500	34	GN 1/1	600x610x850
LUX 85 EL PLUS	440	450	500x500	60	600x400x25 GN 1/1	600x700x1380

* Max depth 25 mm

H	Ø	mm	pcs/h	tray*	W/D/H mm
---	---	----	-------	-------	----------

PREMIUM 40	310	310	400x400	43	-	460x550x780
PREMIUM 40 HR	310	310	400x400	21	-	460x550x780
PREMIUM 50 SMALL	260	260	500x500	60	-	600x610x730
PREMIUM 50 SMALL HR	260	260	500x500	28	-	600x610x730
PREMIUM 50	340	340	500x500	60	GN 1/1	600x610x850
PREMIUM 50 HR	340	340	500x500	28	GN 1/1	600x610x850
PREMIUM 50 H+	340	340	500x500	60	GN 1/1	600x610x850
PREMIUM 50 HR H+	340	340	500x500	28	GN 1/1	600x610x850

* Max depth 25 mm

HOOD 800 HOOD 110 (I)

SINGLE AND DOUBLE SKIN
HOOD-TYPE DISHWASHERS



**ELECTROMECHANICAL
AND ELECTRONIC
VERSIONS AVAILABLE**



INSULATED HOOD



**LIGHT RINSE ARMS:
EFFICIENT EVEN
WITH LOW PRESSURE
OF THE WATER
INLET**



	Ø	mm	pcs/h	tray*	W/D/H mm
HOOD 800	410	500x500	46	GN 1/1	720x735x1445/1880
HOOD 110^U	410	500x500	70	GN 1/1	720x735x1445/1880
HOOD 800 T	410	500x500	72	GN 1/1	720x735x1445/1880
HOOD 110 T	410	500x500	72	GN 1/1	720x735x1445/1880
HOOD 110 I	410	500x500	70	GN 1/1	720x735x1445/1880
HOOD 110 I T	410	500x500	72	GN 1/1	720x735x1445/1880

U: Construction according to UL-NSF standards upon request

* Max depth 25 mm

HOOD 130 LUX

LATEST GENERATION
HOOD-TYPE DISHWASHERS



**PROGRAMMABLE
CYCLES**



**CONNECTIVITY
WHEREVER YOU ARE...
YOUR DISHWASHER,
JUST A CLICK AWAY**



**LIFT:
OF THE HOOD AT THE
END OF THE CYCLE**



**HEAT
RECOVERY HR:
IMMEDIATE SAVINGS**



	Ø	mm	pcs/h	tray*	W/D/H mm
HOOD 130 LUX	410	500x500	60	GN 1/1	720x735x1445/1880
HOOD 130 LUX H+	410	500x500	60	GN 1/1	720x735x1445/1880
HOOD 130 LUX LIFT	410	500x500	60	GN 1/1	720x735x1445/1880
HOOD 130 LUX LIFT H+	410	500x500	60	GN 1/1	720x735x1445/1880
HOOD 130 LUX PLUS H+	410	500x500	72	GN 1/1	720x735x1445/1880
HOOD 130 LUX PLUS HR H+	410	500x500	55	GN 1/1	720x735x2095
HOOD 130 LUX PLUS LIFT H+	410	500x500	72	GN 1/1	720x735x1445/1880
HOOD 130 LUX PLUS HR LIFT H+	410	500x500	55	GN 1/1	720x735x2095

* Max depth 25 mm

HOOD 140 PREMIUM

CONNECTED HOOD-TYPE
DISHWASHERS WITH
CLEAN WATER TECHNOLOGY

PLUS SYSTEM:
STABILIZED RINSE,
GUARANTEED
TEMPERATURES,
CONSUMPTION AND
PRESSURE



CONNECTIVITY
WHEREVER YOU ARE...
YOUR DISHWASHER,
JUST A CLICK AWAY



HYGIENE+
HIGH SANITIZATION
LEVELS $A_0=60$



**HEAT
RECOVERY HR:**
IMMEDIATE SAVINGS



**CLEAN WATER
TECHNOLOGY**

WASH & STORE

STOCK & WASH
DISHWASHERS

-46%
WATER
CONSUMPTION



-38%
ELECTRIC
CONSUMPTION







-82%
DETERGENT
CONSUMPTION



-90%
LABOUR



					
	Ø	mm	pcs/h	tray*	W/D/H mm
HOOD 140 PREMIUM	410	500x500	55	GN 1/1	720x735x1445/1880
HOOD 140 PREMIUM HR	410	500x500	40	GN 1/1	720x735x2095
HOOD 140 PREMIUM H+	410	500x500	55	GN 1/1	720x735x1445/1880
HOOD 140 PREMIUM HR H+	410	500x500	40	GN 1/1	720x735x2095

	Economy	Standard	Intensive	Thermo-disinf.	Detergent	Rinse-aid	
	59 ℓ	66 ℓ	84 ℓ	94 ℓ			W/D/H mm
WASH & STORE	123 min	132 min	151 min	180 min	36 g	3 g	1315x747x2043
WASH & STORE HI TEMP	106 min	115 min	127 min	156 min	36 g	3 g	1315x747x2043
WASH & STORE DOUBLE FACE	123 min	132 min	151 min	180 min	36 g	3 g	1315x810x2043
WASH & STORE DOUBLE FACE HI TEMP	106 min	115 min	127 min	156 min	36 g	3 g	1315x810x2043

Estimated crockery and kitchenware amounts for 20/25 covers

						
120	60	80	20	15	24	23

* Max depth 25 mm

WASH & STORE: With water softener water supply max 35 °C - Water hardness < 20 °f
 WASH & STORE HI TEMP: Without water softener water supply max 65 °C
 Max water hardness 5 °f/water hardness > 5 °f external water softener required
 Option compatibility to be confirmed by the manufacturer after verification

RK COMPACT







COMPACT RACK CONVEYOR
DISHWASHERS WITH SIMPLE RINSE

RK UP

RACK CONVEYOR DISHWASHERS
WITH SINGLE OR DOUBLE RINSE

- ELECTROMECHANICAL AND ELECTRONIC VERSIONS AVAILABLE**
- 5 VARIABLE SPEEDS (ELECTRONIC)**
3 VARIABLE SPEEDS (ELECTROMECHANICAL)
- COMPACT DIMENSIONS**









						
	Ø	mm	pcs/h	DIN	tray*	W/D/H mm
RK 1010	450	500x500	66-100	66	GN 1/1	1080x715x1690/1900
RK 1640	450	500x500	86-150	86	GN 1/1	1880x715x1690/1900
RK 1010 E^U	450	500x500	66-100	66	GN 1/1	1080x715x1565/1900
RK 1640 E^U	450	500x500	86-150	86	GN 1/1	1880x715x1565/1900

DIN: Productivity according to DIN SPEC 10534 (contact time)
U: Construction according to UL-NSF standards upon request
* Max depth 25 mm



- ELECTROMECHANICAL AND ELECTRONIC VERSIONS AVAILABLE**
- AISI 316 STAINLESS STEEL TANKS AND BOILERS**
- ALL-IN-ONE WASH ARMS**

						
	Ø	mm	pcs/h	DIN	tray*	W/D/H mm
SINGLE RINSE						
RK 1020 E	450	500x500	80-112	80	GN 1/1	1900x805x1830/2120
RK 1420 E	450	500x500	93-144	119	GN 1/1	2100x805x1830/2120
DOUBLE RINSE						
RK 1040	450	500x500	80-112	80	GN 1/1	1900x805x1830/2120
RK 1440	450	500x500	93-144	93	GN 1/1	2100x805x1830/2120
RK 1840	450	500x500	115-192	115	GN 1/1	2500x805x1830/2120
RK 1840-K10	450	500x500	115-192	-	GN 1/1	2225x985x1830/2120
RK 2440	450	500x500	132-240	132	GN 1/1	2800x805x1830/2120
RK 1040 E^U	450	500x500	80-112	80	GN 1/1	1900x805x1830/2120
RK 1440 E	450	500x500	93-144	93	GN 1/1	2100x805x1830/2120
RK 1840 E	450	500x500	115-192	115	GN 1/1	2500x805x1830/2120
RK 1840 E-K10	450	500x500	115-192	-	GN 1/1	2225x985x1830/2120
RK 2440 E^U	450	500x500	132-240	132	GN 1/1	2800x805x1830/2120

DIN: Productivity according to DIN SPEC 10534 (contact time) / U: Construction according to UL-NSF standards upon request / * Max depth 25 mm

RK LUX

RACK CONVEYOR DISHWASHERS
WITH REINFORCED DOUBLE RINSE

RK PREMIUM

RACK CONVEYOR DISHWASHERS
WITH 3R+ REINFORCED TRIPLE RINSE

CONNECTIVITY
WHEREVER YOU ARE...
YOUR DISHWASHER,
JUST A CLICK AWAY



1-DRAIN
AUTOMATIZED DRAIN



AISI 316 STAINLESS
STEEL TANKS AND
BOILERS



CONNECTIVITY
WHEREVER YOU ARE...
YOUR DISHWASHER,
JUST A CLICK AWAY







SMART DRIVE+
10 VARIABLE SPEEDS







MULTI-PATENTED
SAVING SYSTEMS



						
	Ø	mm	pcs/h	DIN	tray*	W/D/H mm
RK 2460	450	500x500	100-250	100	GN 1/1	2100x805x1830/2120
RK 2960	450	500x500	135-300	135	GN 1/1	2700x805x1830/2120
RK 2960-K10	450	500x500	135-300	-	GN 1/1	2425x985x1830/2120
RK 3260	450	500x500	150-330	150	GN 1/1	3000x805x830/2120
RK 3560	450	500x500	190-360	190	GN 1/1	3600x805x1830/2120
RK 3560-K10	450	500x500	190-360	-	GN 1/1	3325x985x1830/2120
RK 3960	450	500x500	210-400	210	GN 1/1	3900x805x1830/2120

DIN: Productivity according to DIN SPEC 10534 (contact time)
Steam versions available
* Max depth 25 mm

						
	Ø	mm	pcs/h	DIN	tray*	W/D/H mm
RK 2500	450	500x500	100-250	100	GN 1/1	2250x920x2100/2120
RK 3000	450	500x500	135-300	135	GN 1/1	2850x920x2100/2120
RK 3000-K10	450	500x500	135-300	-	GN 1/1	2575x985x2100/2120
RK 3300	450	500x500	150-330	-	GN 1/1	3150x920x2100/2120
RK 3600	450	500x500	190-360	190	GN 1/1	3750x920x2100/2120
RK 3600-K10	450	500x500	190-360	-	GN 1/1	3475x985x2100/2120
RK 4000	450	500x500	210-400	210	GN 1/1	4050x920x2100/2120

DIN: Productivity according to DIN SPEC 10534 (contact time)
* Max depth 25 mm

QK LUX

FLIGHT CONVEYOR MACHINES
WITH REINFORCED DOUBLE RINSE



CONNECTIVITY
WHEREVER YOU ARE... YOUR
DISHWASHER, JUST A CLICK AWAY

1-DRAIN
AUTOMATIZED
DRAIN

ECO-FRIENDLY
MORE RESPECT FOR
THE ENVIRONMENT

	H	pcs/h	DIN	wide conveyor	W/D/H mm
QK 2460	450	1950/3690	2400	710	4500x985x1860/2200
QK 3760	450	2400/4050	3300	710	5100x985x1860/2200
QK 4160	450	3000/4800	3750	710	5400x985x1860/2200
QK 5360^U	450	4200/6450	4650	710	6000x985x1860/2200
QK 5960	450	4350/6750	5100	710	6300x985x1860/2200
QK 6760	450	5250/8100	6000	710	7300x985x1860/2200
QK 7760	450	5850/9000	6450	710	7600x985x1860/2200

DIN: Productivity according to DIN SPEC 10534 (contact time)
Steam versions available
U: Construction according to UL-NSF standards upon request

QK PREMIUM



CONNECTIVITY
WHEREVER YOU ARE... YOUR
DISHWASHER, JUST A CLICK AWAY

SMART DRIVE+
10 VARIABLE
SPEEDS

MULTI-PATENTED HDR
IMMEDIATE SAVINGS

	H	pcs/h	DIN	wide conveyor	W/D/H mm
QK 2500	450	1950/3690	2850	710	5500x1110x2070/2200
QK 3800	450	2400/4050	3660	710	6100x1110x2070/2200
QK 4200	450	3000/4800	4200	710	6400x1110x2070/2200
QK 5400	450	4200/6450	5100	710	7000x1110x2070/2200
QK 6000	450	4350/6750	5550	710	7300x1110x2070/2200
QK 6800	450	5250/8100	6450	710	8300x1110x2070/2200
QK 7800	450	5850/9000	6900	710	8600x1110x2070/2200

TRAY POLICORDA

TUNNEL TRAY WASHER
& TRANSPORTATION SYSTEMS

POT

WAREWASHERS

HIGH PRODUCTIVITY



HIGH PRESSURE COLD DRYER WITH TURBOBLLOWERS



IMMEDIATE REUSE OF THE TRAYS



INTEGRATED HR IMMEDIATE SAVINGS



CONNECTIVITY

WHEREVER YOU ARE...YOUR
DISHWASHER, JUST A CLICK AWAY






PROGRAMMABLE CYCLES



PLUS SYSTEM:







STABILIZED RINSE, GUARANTEED
TEMPERATURES,
CONSUMPTION AND PRESSURE



TRAY			
	tray	mm	W/D/H mm
TK 1600	GN 1/1	-	2575x805x2040/2120
TL 100	GN 1/1	-	800x500x900

TRANSPORTATION SYSTEM

BCC	GN 1/1	-	upon request
SCT	GN 1/1	-	upon request
SCR	-	500x500	upon request
CCC	-	500x500	upon request

							
	H	Ø	mm	pcs/h	H	tray*	W/D/H mm
KP 76 EL	400	400	500x500	53	Euronorm	600x400x25	600x680x850
KP 86 EL PLUS	-	-	500x610	60	440	600x400x25	600x700x1380
KP 136 EL PLUS**	-	410	500x600	72	-	600x400x25	720x735x1445/1915
KP 136 EL PLUS LIFT**	-	410	500x600	72	-	600x400x25	720x735x1445/1915
KP 151 EL	-	-	550x665	30	805	600x400x25	650x750x1690/2070
KP 152 EL PLUS**	-	-	550x665	30	805	600x400x25	690x800x1890/2275
KP 202 EL PLUS**	-	-	700x700	20	645	600x400x25	840x885x1790/2050
KP 302 EL PLUS**	-	-	850x725	20	645	600x400x25	990x885x1790/2050
KP 402 EL PLUS**	-	-	1350x725	20	820	600x400x25	1490x885x1970/2310

* Max depth 25 mm

** Heat recovery version available

GRANULE

GRANULES
WAREWASHER



MULTI PATENTED



WITH THE **GRANULES**
SOAKING IS NO
LONGER NECESSARY








SIGNIFICANTLY
REDUCES WORKING TIME



LESS WATER AND ENERGY
CONSUMPTION



					
	pcs	pcs	Ø	H	W/D/H mm
GR 300 PLUS	6	2	735	635	1095x910x1910/2020
GR 300 HR PLUS	6	2	735	635	1095x910x2100
GR 800 HR PLUS	8	4	850	830	1200x1010x2260/2305

VK

PULL-THROUGH
CRATE WASHERS



POWERFUL WASH SOLUTIONS
FOR BAKERIES, PASTRIES
AND FOOD INDUSTRY







**LOW
RUNNING COSTS**



**ONE-PERSON LOADING
SYSTEM (SPECIAL VERSIONS)**



				
	pcs/h	W/D/H	W/D/H	W/D/H mm
VK 2310	200	510x600x500	-	2600x805x1830/2120
VK 2310 + KP23	200	510x600x500	-	2710x805x2075/2120
VK 2810	200	510x600x800	-	2800x805x2130/2720
VK 3010	260	510x600x500	-	4100x805x1830/2120
VK 3010 + KP23	260	510x600x500	-	4210x805x2075/2120
VK 4010	400	510x600x500	-	4100x805x1830/2120
VK 4010 + KP23	400	510x600x500	-	4210x805x2075/2120
VK 2510	200	510x600x500	510x600x500	3200x805x1830/2120
VK 3510	260	510x600x500	510x600x500	4700x805x1830/2120

Steam version available for models: VK 2310 - VK 3010 - VK 4010






CONNECTIVITY
WHEREVER YOU ARE... YOUR
DISHWASHER, JUST A CLICK AWAY



**HEAVY
WORKLOADS**



			
	pcs/h	W/D/H	W/D/H mm
LK 5010	345	640x600x450	4900x985x1860/2200
LK 7510	510	640x600x450	5800x985x1860/2200
LK 10010	695	640x600x450	6700x985x1860/2200
LK 12510	823	640x600x450	7600x985x1860/2200
LK 8510 HD	215	640x600x450	6200x985x1860/2200
LK 11010 HD	300	640x600x450	7500x985x1860/2200

Steam version available

STANDARD SUPPLIED BASKET

GLASSWASHERS	2 x glass basket, 1 x saucer holder, 1 x cutlery holder
DISHWASHERS	1 x dish basket, 1 x glass basket, 1 x cutlery holder (LUX 85 EL PLUS + 1 C43)
HOOD-TYPE DISHWASHERS	2 x dish basket, 1 x glass basket, 2 x cutlery holder
RACK CONVEYOR DISHWASHERS	1 x dish basket, 1 x glass basket, 1 x cutlery basket 8 places, 1 x tray basket
WAREWASHERS	KP 76 EL - KP 136 EL PLUS: 1 x S/S trays support, 1 x large mesh plastic basket, 1 x spatula holder (KP 76 EL + 1 S/S griddle) KP 86 EL PLUS: 1 x S/S basket, 1 x trays support, 1 x S/S spatula holder KP 151 EL - KP 152 EL PLUS: 1 x S/S basket, 1 x S/S griddle, 1 x trays support, 1 x S/S spatula holder KP 202 EL PLUS - KP 302 EL PLUS - KP 402 EL PLUS: 1 x S/S basket, 1 x S/S trays support, 1 x S/S spatula holder

SALES CONDITIONS

DELIVERY	20 days for semi-automatic machines - 50 days for automatic machine
PACKING	Cardboard box (included in the price) The wooden cage's price is the equivalent of the 2% of the machine's net price -minimum amount charged is 85 € (on the following models: Wash & Store, RK, QK, TRAY, POLICORDA, VK, LK, LK-HD, K 7A, k 7M, KM22, KM23, K19/1, K 23, K 23/2, K 23/3, A10, K 5/20)
SPARE PARTS	For orders lower than net 50 €, a 5 € fee will be applied as management costs
TERMS	Ex-works
WARRANTY ON OUR PARTS	24 months from invoice date, subject to our technical department verification of the problem causes
TRANSPORT	The supply is carried out Ex works KROMO Ali Group Srl. The goods travel at the Purchaser's sole risk even when the carrier has been chosen and instructed by KROMO Ali Group Srl on behalf of the purchasing party
OWNERSHIP RESERVATION	The goods are the exclusive property of KROMO Ali Group Srl until the invoice is paid in full
COURT OF JURISDICTION	Contracts stipulated with KROMO Ali Group Srl are subject to Italian law. For any dispute that may arise from contracts with KROMO Ali Group Srl - including abroad contracts - the court of jurisdiction shall be that of Treviso
USER MANUALS	User Manuals are originally issued in a main E.U. language. When put into service, each machinery must be provided with an appropriate translation of the original Manual in the language(s) used in the Country where the appliance is installed accompanied by its original instructions, too. This translation is full care and responsibility of the Importer of the machinery in the end-user's region. In case of tunnel machines, the possibility to have our technician/s on site to assist in the assembly and start-up will be quoted separately.

KROMO

YOUR SMART WASH

KROMO ALI GROUP SRL
Via Mestre, 3
31033 Castelfranco Veneto (TV)
T: +39 0423 734580
F: +39 0423 734581
kromo@kromo-ali.com

SERVICE:
T. +39 0423 734593
F: +39 0423 734592
E: service@kromo-ali.com

www.kromo-ali.com

Edition 09.2023

an Ali Group Company



The Spirit of Excellence