





BLUE

ROBUST AND ESSENTIAL
GLASS & DISHWASHERS

KROMO
YOUR SMART WASH

BLUE

ROBUST AND ESSENTIAL
GLASS & DISHWASHERS



You asked and we listened! We are thrilled to announce our brand new range: BLUE. These robust and essential glass and dishwashers simply make sense. Nothing superfluous: solid S/S body

with double wall-door, sloped tank, innovative and light arms, controlled temperatures and, only if needed, detergent dispenser and drain pump. Wash, rinse, restart. It is really that simple.































ELECTRONIC VERSION

The intuitive LED control panel of the BLUE L models will display if the correct temperatures of both tank and boiler have been reached. You can choose among 3 different wash programs to perfectly tailor the performances of the machine to the crockery that needs to be cleaned.

FEATURES

- Solid structure in AISI 304 stainless steel
- Sound and heat proof double-skin door
- Door with anti-shock system
- Sloped tank with screwed basket rails
- Overflow and drain pipes integrated system, for a triple protection of the washing pump
- Non-drip roof to safeguard the hygiene of the freshly washed dishes
- 1 wash cycle on electromechanical versions
- 3 wash cycles on electronic versions
- Innovative system of coupled wash and rinse arms in polypropylene and fiber of glass (BLUE 50 / BLUE 50 L)
- Light wash and rinse arms, granting the best efficiency also when the water pressure is weaker
- Easy to remove nozzles, to help with daily cleaning operations
- Back flow prevention valve
- Thermostop system: the rinse starts only when the water in boiler reaches 85 °C
- Standard rinse-aid dispenser
- Glasswashers also available with round basket (BLUE 35 / BLUE 40)
- Self-cleaning cycle on the electronic versions

Model		Voltage	Capacity	Dimensions	Code
BLUE 35	1 PROGRAM				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 2 X 10730 1 X 10728 1 X 15060 	230 V ~ 50 Hz 2,59 kW	 195 H  350x350	400x495x585 H 28 kg	BLUE 35
BLUE 40	1 PROGRAM				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 2 X C121 1 X 10728 1 X 15060 	230 V ~ 50 Hz 2,59 kW 2,65 kW (LS)	 305 H  Ø 295 (LS)  400x400	450x535x700 H 37 kg	BLUE 40 BLUE 40 LS
BLUE 50	1 PROGRAM				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 1 X C40 1 X C44 1 X 15060 	230 V ~ 50 Hz 3,2 kW	 320 H  Ø 345  500x500	590x600x850 H 57 kg	BLUE 50

Model		Voltage	Capacity	Dimensions	Code
BLUE 35 L	3 PROGRAMS				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 2 X 10730 1 X 10728 1 X 15060 	230 V ~ 50 Hz 2,59 kW	 195 H  350x350	400x495x595 H 28 kg	BLUE 35 L
BLUE 40 L	3 PROGRAMS				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 2 X C121 1 X 10728 1 X 15060 	230 V ~ 50 Hz 2,59 kW 2,65 kW (LS)	 305 H  Ø 295 (LS)  400x400	450x535x710 H 37 kg	BLUE 40 L BLUE 40 LS L
BLUE 50 L	3 PROGRAMS				
	<p>RACK EQUIPMENT</p> <ul style="list-style-type: none"> 1 X C40 1 X C44 1 X 15060 	230 V ~ 50 Hz 3,2 kW	 320 H  Ø 345  500x500	590x600x850 H 57 kg	BLUE 50 L











OPTIONS









		PS	DDE	DB	CR	TS
Model	220-240 V 50 Hz	Drain Pump	Detergent Dispenser	Rinse-Aid Dispenser	Round Basket	Thermostop System
BLUE 35	●	€	€	●	€	●
BLUE 40	●	€	€	●	€	●
BLUE 40 LS	●	€	€	●	€	●
BLUE 50	●	€	€	●	----	●
BLUE 35 L	●	€	€	●	€	●
BLUE 40 L	●	€	€	●	€	●
BLUE 40 LS L	●	€	€	●	€	●
BLUE 50 L	●	€	€	●	----	●

- LS** Upper wash
- L** LED electronic keyboard
- Standard
- Not available

Water supply 55 °C
EAC label upon request

BLUE

	Description	Capacity	Dimensions	Code
	GLASS BASKET		350x350x110 H 400x400x135 H	10730 C 121
	SLOPED GLASS BASKET	Ø 10 max	500x500x200 H	C 26
	GLASS BASKET WITH GLASS SUPPORT AND ANTI-TIPPING LID		500x500x235 H	C 135
	SLOPED GLASS BASKET	Ø 90 max Ø 120 max	400x400x185 H 400x400x160 H	C 123 C 79
	LARGE MESH BASKET	For glasses	500x500x105 H	C 44
	ROUND GLASS BASKET ROUND BASKET SUPPORT	Basket Support Basket Support	Ø 350x105 H 350x350 Ø 400x145 H 400x400	C 21 C 36 C 16 C 38
	HOLDER FOR GLASS SUPPORT	For glass support (C112-C113-C114)	500x500x50 H	C111
	GLASS SUPPORT	5x5 Glass Ø 87 mm (C111)	500x500x50 H	C 112
	GLASS SUPPORT	4x4 Glass Ø 110 mm (C111)	500x500x50 H	C 113
	GLASS SUPPORT	6x6 Glass Ø 72 mm (C111)	500x500x50 H	C 114

	Description	Capacity	Dimensions	Code	
	PLATE BASKET	18 Plates	500x500x105 H	C 40	
	PLATE BASKET	12 Plates	400x400x120 H	C 31	
	SAUCER HOLDER	14 Saucers	300x100x90 H	10728	
	CUTLERY BASKET		Ø 120x120 H	15060	
	STAND	Stainless steel stand	592x535x500 H	999900517	
	SINK UNIT FOR UNDER-COUNTER MODELS	Sink 500x400x300H	1200x700x850 H	A 20	
	WATER SOFTENER	12 l	Ø 200x500 H	D 1	
	AUTOMATIC WATER SOFTENER	12 l (max 800 l)	315x510x685 H	D 2	

* Wooden cage +2% minimum €

Special dimensions for tables upon request

Tables shown in right-to-left version



KROMO ALI GROUP SRL

Via Mestre, 3
31033 Castelfranco Veneto (TV)
T: +39 0423 734580
kromo@kromo-ali.com

SERVICE:

T. +39 0423 734593
E: service@kromo-ali.com

www.kromo-ali.com

Edition 05.2024

an Ali Group Company



The Spirit of Excellence